



# Stump

## PN SU82089

© 2016 Summit Treestands, LLC | 715 Summit Dr. Decatur, AL 35601  
PH#: (800) 353-0634 | www.summitstands.com



- **THIS PRODUCT IS DESIGNED TO BE USED AT GROUND LEVEL ONLY! NEVER USE THIS PRODUCT IN AN ELEVATED POSITION!**
  - **THIS PRODUCT IS INTENDED TO BE USED AT GROUND LEVEL ONLY AND CARRIED IN AND OUT OF THE FIELD FOR AFTER EACH USE.**
  - ALWAYS NOTIFY SOMEONE OF YOUR HUNTING LOCATION IN CASE OF AN EMERGENCY.
  - IF THERE ARE ANY QUESTIONS OR CONCERNS WITH INSTRUCTIONS, WARNINGS, OR PROPER USE "STOP" AND CONTACT THE MANUFACTURER. DO NOT USE UNLESS YOU FULLY UNDERSTAND SAFE AND PROPER USE. MAINTAIN ALL WARNINGS, INSTRUCTIONS, AND DVD(S) FOR LATER REVIEW AS NEEDED, FOR INSTRUCTION USAGE TO ANYONE BORROWING YOUR STAND/FBFAHS OR TO PASS ON WHEN SELLING THESE ITEMS. USE ALL SAFETY DEVICES PROVIDED WITH YOUR TREESTAND AND FBFAHS.
  - DO NOT USE THIS PRODUCT UNTIL YOU UNDERSTAND SAFE AND PROPER USE. READ AND FOLLOW ALL INSTRUCTIONS AND WARNINGS PRIOR TO EACH USE!
  - INSPECT THE TREESTAND AND CABLES PRIOR TO EVERY USE FOR UNDUE WEAR, DEFORMITY, CORROSION OR OTHER DAMAGE. INSPECT ALL STRAPS, WEBBING AND ROPES FOR FRAYING, RIPS, TEARS, CUTS, UNDUE WEAR OR ANY OTHER TYPE OF DAMAGE. DISCONTINUE USE IMMEDIATELY IF ANY DAMAGE IS PRESENT.
  - NEVER EXCEED THE MAXIMUM RATED WEIGHT LIMIT OF THIS PRODUCT.
  - PRIOR TO EACH USE INSURE:
    - THERE ARE NO VISIBLE SIGNS OF CORROSION PRESENT.
    - THERE ARE NO CRACKS IN ANY TUBING.
    - THERE ARE NO CRACKS IN ANY WELDS.
    - THERE ARE NO LOOSE WELD JOINTS.
- IF ANY OF THE CONDITIONS STATED ABOVE ARE NOT MET, DISCONTINUE USE OF THE PRODUCT IMMEDIATELY!**
- THIS PRODUCT IS INTENDED TO BE USED BY RESPONSIBLE ADULTS OVER THE AGE OF 18. NO PERSON UNDER THE AGE OF 18 SHOULD USE THIS PRODUCT.
  - NEVER USE TREESTAND DURING INCLEMENT WEATHER SUCH AS RAIN, LIGHTNING, WINDSTORMS, SNOW, HAIL, SLEET OR ICY CONDITIONS. IF ANY OF THESE CONDITIONS ARE PRESENT, END YOUR HUNT.
  - NEVER HURRY WHEN INSTALLING, USING, OR REMOVING THIS PRODUCT. HURRYING CAUSES ACCIDENTS WHICH MAY CAUSE SERIOUS INJURY OR DEATH!
  - NEVER USE THIS PRODUCT WHILE FEELING ILL, NAUSEOUS OR DIZZY, OR IF YOU HAVE PRIOR MEDICAL CONDITIONS THAT COULD CAUSE A PROBLEM, THAT IS, HEART CONDITION, JOINTS THAT LOCK-UP, SPINAL FUSIONS, ETC OR IF YOU ARE NOT WELL RESTED.
  - NEVER USE THIS PRODUCT UNDER THE INFLUENCE OF DRUGS, ALCOHOL, OR PRESCRIPTION MEDICATION. THIS INCLUDES MANY TYPES OF COLD & FLU MEDICATIONS PURCHASED OVER THE COUNTER AT THE PHARMACY. ALWAYS CONSULT WITH YOUR PHYSICIAN ABOUT PRESCRIPTION MEDICATIONS, OVER-THE-COUNTER MEDICATIONS AND YOUR PHYSICAL ABILITY WHILE USING ANY TYPE OF MEDICATIONS PRIOR TO USING THIS PRODUCT.
  - DO NOT USE THIS PRODUCT UNLESS YOU ARE IN GOOD PHYSICAL CONDITION WITHOUT ANY PHYSICAL LIMITATIONS AND HAVE BEEN FULLY RESTED THE NIGHT BEFORE. ALWAYS CONSULT WITH A MEDICAL PHYSICIAN BEFORE USING THIS PRODUCT TO ENSURE SAFE AND ABLE USE OF THIS PRODUCT.
  - DO NOT USE THIS PRODUCT IF YOU HAVE ANY HISTORY OF A HEART CONDITION OR PULMONARY ISSUES WITHOUT CONSULTING WITH YOUR PHYSICIAN FOR SAFE AND PROPER USE OF THIS PRODUCT.
  - NEVER USE THIS PRODUCT ON A DEAD, LEANING, DISEASED, LOOSE BARKED TREE, ON A UTILITY POLE OR ON TREES THAT HAVE ANY OBSTRUCTIONS (SUCH AS KNOTS OR LIMBS) THAT MAY LIMIT TREESTAND USE OR STABILITY! NEVER RELY ON A TREE BRANCH FOR SUPPORT OR AS A STEP! NEVER USE ON ANY TYPE OF TREE THAT HAS OBSTRUCTIONS THAT MAY LIMIT TREESTAND USE OR CAUSE INSTABILITY OF THE TREESTAND.
  - NEVER MODIFY YOUR STAND IN ANY WAY BY MAKING REPAIRS, REPLACING PARTS, ALTERING, ADDING OR ATTACHING ANYTHING TO IT EXCEPT IF EXPLICITLY AUTHORIZED IN WRITING BY THE MANUFACTURER!
  - DO NOT LEAVE THIS PRODUCT IN THE TREE FOR MORE THAN TWO (2) WEEKS AT A TIME. WEATHER, ANIMALS, TREE GROWTH, VANDALS AND/OR OTHER ENVIRONMENTAL CONDITIONS MAY DAMAGE THE PRODUCT AND ITS INTEGRITY. NEVER USE A TREESTAND THAT HAS BEEN LEFT IN A TREE FOR MORE THAN TWO WEEKS. IF USING SOMEONE ELSE'S TREESTAND, KNOW HOW LONG THE TREESTAND HAS BEEN ATTACHED TO THE TREE BEFORE USE. IF THIS INFORMATION IS UNKNOWN, HUNT FROM THE GROUND!!
  - PRODUCT COLORS AND CAMO PATTERNS ARE SUBJECT TO CHANGE WITHOUT NOTICE. YOUR PRODUCT MAY NOT APPEAR TO BE THE SAME AS SHOWN ON BOX OR LABEL. VARYING COLORS AND/OR CAMO PATTERNS DO NOT CHANGE THE PERFORMANCE OF THIS PRODUCT. ALL PRODUCT WEIGHTS AND HEIGHTS ARE APPROXIMATED AND ARE SUBJECT TO CHANGE WITHOUT NOTICE.
  - MAINTENANCE AND INSPECTIONS ARE REQUIRED FOR YEARS OF TROUBLE-FREE USE. ALWAYS WIPE DOWN YOUR PRODUCTS AFTER EACH USE. ALWAYS 100% INSPECT THE PRODUCT BEFORE AND AFTER EACH USE! NEVER ASSUME THAT ANY PART, THAT MAY HAVE BEEN SUBJECTED TO DAMAGE OR WEAR, IS OK FOR USE. STOP USE IMMEDIATELY AND CONTACT SUMMIT TREESTANDS IMMEDIATELY IF YOU HAVE ANY CONCERNS OR SUSPICIONS ABOUT YOUR PRODUCT.
  - LEAVING YOUR TREESTAND OUTSIDE MAY ALLOW THE TUBES TO FILL WITH WATER, FREEZE AND CAUSE THEM TO RUPTURE OR BURST. INSPECTION OF TREESTAND IS REQUIRED PRIOR TO EACH USE!! ANY PART OF THE OF THE TREESTAND THAT HAS TUBES THAT HAVE DEFORMED SHAPE OR BURST DUE TO FREEZING IS NOT COVERED UNDER WARRANTY AND ITS USE SHOULD BE DISCONTINUED IMMEDIATELY! FAILURE TO DO SO COULD RESULT IN SERIOUS INJURY OR DEATH!! REPLACEMENT COMPONENTS ARE SUPPLIED AT OWNER'S EXPENSE.

# 1 TREE SIZE / WEIGHT LIMIT

**Seat Minimum and Maximum Tree Size: 8-20" Diameter**

**Weight Limits: (includes hunter's weight PLUS weight of all gear carried into the treestand)**

**DO NOT EXCEED THESE WEIGHT LIMITS!**

**275 lb Rated Seat:**

**SU82089 - STUMP**

# 2 PARTS LIST

BOX CONTENTS			ACCESSORY PACKET CONTENTS		
	DESCRIPTION	QTY		DESCRIPTION	QTY
	ASSEMBLED SEAT	1		CAM BUCKLE STRAP	1

Please call 800-353-0634 or visit <http://www.summitstands.com/contactus/> if you have any questions, if you need replacement parts, or if you have any missing parts.

All images are representations. All fabric, paint and accessories are subject to change at any time. Net weights of the products are approximate.

# 3 STAND / COMPONENT WARNING LABELS (FOR REFERENCE ONLY)

**⚠ WARNING**  
**DO NOT REMOVE ANY WARNING LABELS FROM THE PRODUCT!**

## ATTACHMENT CAM STRAP

• Always inspect this strap for fraying, rips, tears, cuts, corrosion, wear or any other type of damage prior to each use!! DO NOT USE if ANY of this damage is present!  
• This strap is used on specific Summit Treestands set forth in the instruction manual ONLY! DO NOT use for any other purpose.  
• A Full Body Fall Arrest Harness System (FBFAHS) is required when installing, removing or using this strap in conjunction with a Summit treestand. Read and follow the manufacturer's instruction regarding safe use. DO NOT LEAVE THIS PRODUCT OUTDOORS FOR MORE THAN TWO WEEKS AT A TIME. WEATHER, ANIMALS, TREE GROWTH, VANDALS AND/OR OTHER ENVIRONMENTAL CONDITIONS MAY DAMAGE THE PRODUCT AND ITS INTEGRITY. NEVER USE A STAND THAT HAS BEEN LEFT OUTDOORS FOR MORE THAN TWO WEEKS. ALWAYS INSPECT THE STAND AND ITS COMPONENTS THOROUGHLY BEFORE EACH USE. STORE INSIDE IN A DRY ENVIRONMENT.

2016

2016

**⚠ WARNING**

FAILURE TO READ, UNDERSTAND AND FOLLOW ALL INCLUDED MANUFACTURER'S WRITTEN AND VIDEO INSTRUCTIONS AND WARNINGS PRIOR TO USE COULD RESULT IN SERIOUS INJURY OR DEATH!!

• This product must be discarded after two (2) years of the manufacture date shown. Failure to discard this Strap as directed could result in serious injury or death. Replacement Straps may be purchased at [www.summitstands.com](http://www.summitstands.com).

Manufacture Date:

Month:   2016

Summit Treestands, LLC | 715 Summit Dr. -Decatur, AL 35601  
PH# 800-353-0634 | [www.summitstands.com](http://www.summitstands.com)

## 4 USE

Ensure all bolts are securely tightened before use.

1. Thread the free end of the strap through the Cam Buckle as shown in **figure 1**.
2. Attach one end of the Cam Buckle Strap to the Seat by looping the strap around the welded bar and then running it back through itself to create a cinch knot. **See figure 2 - 5**.
3. Wrap the strap around the tree and hook the double J hook to the opposite welded bar. Pull tight to secure.



**(A) Warranty**

Summit Treestands, LLC (Summit) warrants to the original retail purchaser that all products manufactured by it are free from defects in material and manufacture at the time of shipment for twelve (12) months from the date of purchase. Summit will repair or replace any part found defective if the unit claimed to be defective shall be returned to Summit, postage prepaid, within the warranty period.

This warranty shall not apply to any product which has been subjected to misuse; misapplication; neglect (including but not limited to improper maintenance); accident; improper installation; modification (including but not limited to use of unauthorized parts or attachments); adjustment or repair. THE FOREGOING IS IN LIEU OF ALL OTHER WARRANTIES, WHETHER EXPRESS OR IMPLIED (INCLUDING THOSE OF MERCHANTABILITY AND FITNESS OF ANY PRODUCT FOR A PARTICULAR PURPOSE), AND OF ANY OTHER OBLIGATION OF LIABILITY ON THE PART OF THE COMPANY.

**(B) Limitation of Liability**

It is expressly understood that Summit's liability for its products, whether due to breach of warranty, negligence, strict liability, or otherwise, is limited to the repair of the product, as stated above, and Summit will not be liable for any other injury, loss, damage, or expense, whether direct or consequential, including but not limited to loss of use, income, profit, or damage to material, arising in connection with the sale, installation, use of, inability to use, or the repair or replacement of Summit's products.

Summit reserves the right to make alterations or modifications in its products at any time, which in its opinion, may improve the performance and efficiency of the product. It shall not be obligated to make such alterations or modifications to products already in service.

**Please take the time to fill out the warranty card online at <http://www.summitstands.com/warranty>**

